

CRACK & JOINT SEALANT Coverage Chart

Crack/Joint Width X Depth (inches)	Linear Feet per Gallon	Crack/Joint Width X Depth (inches)	Linear Feet per Gallon	Crack/Joint Width X Depth (inches)	Linear Feet per Gallon	Crack/Joint Width X Depth (inches)	Linear Feet per Gallon
1/8 X 1/8	1232.0	3/8 X 1/8	410.7	5/8 X 1/8	246.4	7/8 X 1/8	176.0
1/8 X 1/4	616	3/8 X 1/4	205.0	5/8 X 1/4	123.2	7/8 X 1/4	88.0
1/8 X 3/8	410.7	3/8 X 3/8	136.9	5/8 X 3/8	82.1	7/8 X 3/8	58.7
1/8 X 1/2	308.0	3/8 X 1/2	102.7	5/8 X 1/2	61.6	7/8 X 1/2	44.0
1/8 X 5/8	246.4	3/8 X 5/8	82.1	5/8 X 5/8	49.3	7/8 X 5/8	35.2
1/8 X 3/4	205.3	3/8 X 3/4	68.4	5/8 X 3/4	41.1	7/8 X 3/4	29.3
1/8 X 7/8	176.0	3/8 X 7/8	58.7	5/8 X 7/8	35.2	7/8 X 7/8	25.1
1/8 X 1	154.0	3/8 X 1	51.3	5/8 X 1	30.8	7/8 X 1	22.0
1/4 X 1/8	616.0	1/2 X 1/8	308.0	3/4 X 1/8	205.3	1 X 1/8	154.0
1/4 X 1/4	308.0	1/2 X 1/4	154.0	3/4 X 1/4	102.7	1 X 1/4	77.0
1/4 X 3/8	205.0	1/2 X 3/8	102.7	3/4 X 3/8	68.4	1 X 3/8	51.3
1/4 X 1/2	154.0	1/2 X 1/2	77.0	3/4 X 1/2	51.3	1 X 1/2	38.5
1/4 X 5/8	123.2	1/2 X 5/8	61.6	3/4 X 5/8	41.1	1 X 5/8	30.8
1/4 X 3/4	102.7	1/2 X 3/4	51.3	3/4 X 3/4	34.2	1 X 3/4	25.7
1/4 X 7/8	88.0	1/2 X 7/8	44.0	3/4 X 7/8	29.3	1 X 7/8	22.0
1/4 X 1	77.0	1/2 X 1	38.5	3/4 X 1	25.7	1 X 1	19.3

BAND-AID* COVERAGE CHART

* i.e - material squeegeed on surface

Band-Aid Configuration	Liner Feet per Gallon	Band-Aid Configuration	Liner Feet per Gallon
1/16" X 2"	154.0	3/32" X 2"	102.6
1/16" X 3"	102.7	3/32" X 3"	68.4
1/16" X 4"	77.0	3/32" X 4"	51.4

How to Compute Pounds of Crack Filler Needed:

Total Feet to be filled	Linear Ft./Gal.	=	Gallons Needed	X	Weight/Gallons* (from mfg. spec. sheet)	=	Pounds Needed
<input type="text"/>	<input type="text"/>	=	<input type="text"/>	X	<input type="text"/>	=	<input type="text"/>
for Crack or Joint	from above chart		gallons		pounds/gallons		for Crack or Joint
<input type="text"/>	<input type="text"/>	=	<input type="text"/>	X	<input type="text"/>	=	<input type="text"/>
for Band-Aid	from above chart		gallons		pounds/gallons		for Band-Aid
							TOTAL SEALANT NEEDED: <input type="text"/>

*Note: Sealant weight per gallon varies between manufacturer, and between product types. Consult your distributor for details.

EXAMPLE: How many pounds of Super Stretch sealant are needed to fill 10,000 linear ft. of crack 3/8" wide X 3/4" deep, and having a Band-Aid of 2" wide X 1/16" thick? (Super Stretch weighs 8.0 pounds/gallon.)

10,000	68.4	=	146.2	X	8.0	=	1170 lbs
for Crack or Joint	from above chart		gallons		pounds/gallons		for Crack or Joint
10,000	154.0	=	64.9	X	8.0	=	519 lbs
for Band-Aid	from above chart		gallons		pounds/gallons		for Band-Aid
							TOTAL SEALANT NEEDED: 1689 lbs